INDEX
TO VOLUME 39

SUBJECT INDEX

Abortion
Abortion among young women and subsequent life outcomes, Fergusson DM, Boden JM and Horwood LJ, p. 6.

Abortion not a factor in breast cancer risk, FYI, p. 133.

Expanding the provider base, FYI, p. 193.

Legal abortion worldwide: incidence and trends, Sedgh G, Henshaw SK, Singh S, Bankole A and Drescher J, p. 216.

Women's odds of choosing abortion linked to affective and relationship characteristics, Digest, p. 64.

Barrier Methods
Female and male condoms offer similar protection against exposure to semen, Digest, p. 250.

It's all in the timing, FYI, p. 73.

Positive attitudes toward condom use do not equal safer sex among teenagers, Digest, p. 61.

Contraceptive Practice
Adolescents' discussions about contraception or STDs with partners before first sex, see **Teenagers**.

Factors associated with contraceptive use and nonuse, United States, 2004, Frost JJ, Singh S and Finer LB, p. 90.

Identifying barriers to emergency contraception use among young women from various sociocultural groups in British Columbia, Canada, see **Emergency Contraception**.

The association of health insurance with use of prescription contraceptives, Culwell KR and Feinglass J, p. 226.

U.S. women's one-year contraceptive use patterns, 2004, Frost JJ, Singh S and Finer LB, p. 48.

Why not use protection? FYI, p. 132.

Emergency Contraception
Characteristics associated with emergency contraception use by family planning patients: a prospective cohort study, Whittaker PG, Berger M, Armstrong KA, Felice TL and Adams J, p. 158.

Consider the source, FYI, p. 73.

Identifying barriers to emergency contraception use among young women from various sociocultural groups in British Columbia, Canada, Shoveller J, Chabot C, Soon JA and Levine M, p. 13.

Evaluation of Programs
Pregnancy and STD prevention counseling using an adaptation of motivational interviewing: a randomized controlled trial, Petersen R, Albright J, Garrett JM and Curtis KM, p. 21.

Fertility: Planning and Effects
Having children with multiple partners is associated with women's perception of lower social support, Digest, p. 181.

Multipartnered fertility among young women with a nonmarital first birth: prevalence and risk factors, Guzzo KB and Furstenburg FF, Jr., p. 29.

Multipartnered fertility: can it be reduced? Viewpoint, Klerman LV, p. 56.

Women who are fecund but do not wish to have children outnumber the involuntarily childless, Digest, p. 120.

Government Policy, Programming and Funding
Not what the plan planned, FYI, p. 193.

Title X funding does not always mean the most accessible services for family planning clients, see **Service Providers**.

Law and Policy
Public health vs. the law, FYI, p. 193.

Males
Black and Hispanic men who have sex with men carry a greater HIV burden than their white counterparts, see **STDs**.

Patterns of men's use of sexual and reproductive health services, Kalmuss D and Tatum C, p. 74.

Preventing herpes simplex virus type 2 may reduce HIV risk among some men who have sex with men, see **STDs**.

Risky behaviors still fuel HIV epidemic among men who have sex with men, p. 252.

Marriage and the Family
Program for fathers helps them talk to young sons about sex and HIV risk, Digest, see **Teenagers**.

Stepfather involvement and adolescents' disposition toward having sex, Menning C, Holtzman M and Kapinus C, p. 82.

Maternal and Child Health
Birth outcomes improve for HIV-exposed infants, FYI, p. 73.

Infants' low birth weight is linked to low-income mothers' chronic stress, Digest, p. 182.

The smoking gun? FYI, p. 4.

Upward mobility benefits white women's infants, but not black women's, Digest, p. 60.

Oral Contraceptives
Ovarian cancer protection from oral contraceptives is greatest with the lowest doses of hormones, Digest, p. 183.

Pregnancy and Childbirth
Fish guidelines flounder in a sea of controversy, FYI, p. 192.

Pregnancy intentions and happiness among pregnant black women at high risk for adverse infant health outcomes, Blake SM, Kiely M, Gard CC, El-Mohandes AAE, El-Khorazaty MN and the NIH-DC Initiative, p. 194.

Using clinical classification trees to identify individuals at risk of STDs during pregnancy, see **STDs**.

Public Opinion
California parents' preferences and beliefs regarding school-based sex education policy, Constantine NA, Jerman P and Huang AX, p. 167.

Women support getting hormonal contraceptives without a prescription, Digest, p. 125.

INDEX
TO VOLUME 39

SUBJECT INDEX

Abortion
Abortion among young women and subsequent life outcomes, Fergusson DM, Boden JM and Horwood LJ, p. 6.

Abortion not a factor in breast cancer risk, FYI, p. 133.

Expanding the provider base, FYI, p. 193.

Legal abortion worldwide: incidence and trends, Sedgh G, Henshaw SK, Singh S, Bankole A and Drescher J, p. 216.

Women's odds of choosing abortion linked to affective and relationship characteristics, Digest, p. 64.

Barrier Methods
Female and male condoms offer similar protection against exposure to semen, Digest, p. 250.

It's all in the timing, FYI, p. 73.

Positive attitudes toward condom use do not equal safer sex among teenagers, Digest, p. 61.

Contraceptive Practice
Adolescents' discussions about contraception or STDs with partners before first sex, see **Teenagers**.

Factors associated with contraceptive use and nonuse, United States, 2004, Frost JJ, Singh S and Finer LB, p. 90.

Identifying barriers to emergency contraception use among young women from various sociocultural groups in British Columbia, Canada, see **Emergency Contraception**.

The association of health insurance with use of prescription contraceptives, Culwell KR and Feinglass J, p. 226.

U.S. women's one-year contraceptive use patterns, 2004, Frost JJ, Singh S and Finer LB, p. 48.

Why not use protection? FYI, p. 132.

Emergency Contraception
Characteristics associated with emergency contraception use by family planning patients: a prospective cohort study, Whittaker PG, Berger M, Armstrong KA, Felice TL and Adams J, p. 158.

Consider the source, FYI, p. 73.

Identifying barriers to emergency contraception use among young women from various sociocultural groups in British Columbia, Canada, Shoveller J, Chabot C, Soon JA and Levine M, p. 13.

Evaluation of Programs
Pregnancy and STD prevention counseling using an adaptation of motivational interviewing: a randomized controlled trial, Petersen R, Albright J, Garrett JM and Curtis KM, p. 21.

Fertility: Planning and Effects
Having children with multiple partners is associated with women's perception of lower social support, Digest, p. 181.

Multipartnered fertility among young women with a nonmarital first birth: prevalence and risk factors, Guzzo KB and Furstenburg FF, Jr., p. 29.

Multipartnered fertility: can it be reduced? Viewpoint, Klerman LV, p. 56.

Women who are fecund but do not wish to have children outnumber the involuntarily childless, Digest, p. 120.

Government Policy, Programming and Funding
Not what the plan planned, FYI, p. 193.

Title X funding does not always mean the most accessible services for family planning clients, see **Service Providers**.

Law and Policy
Public health vs. the law, FYI, p. 193.

Males
Black and Hispanic men who have sex with men carry a greater HIV burden than their white counterparts, see **STDs**.

Patterns of men's use of sexual and reproductive health services, Kalmuss D and Tatum C, p. 74.

Preventing herpes simplex virus type 2 may reduce HIV risk among some men who have sex with men, see **STDs**.

Risky behaviors still fuel HIV epidemic among men who have sex with men, p. 252.

Marriage and the Family
Program for fathers helps them talk to young sons about sex and HIV risk, Digest, see **Teenagers**.

Stepfather involvement and adolescents' disposition toward having sex, Menning C, Holtzman M and Kapinus C, p. 82.

Maternal and Child Health
Birth outcomes improve for HIV-exposed infants, FYI, p. 73.

Infants' low birth weight is linked to low-income mothers' chronic stress, Digest, p. 182.

The smoking gun? FYI, p. 4.

Upward mobility benefits white women's infants, but not black women's, Digest, p. 60.

Oral Contraceptives
Ovarian cancer protection from oral contraceptives is greatest with the lowest doses of hormones, Digest, p. 183.

Pregnancy and Childbirth
Fish guidelines flounder in a sea of controversy, FYI, p. 192.

Pregnancy intentions and happiness among pregnant black women at high risk for adverse infant health outcomes, Blake SM, Kiely M, Gard CC, El-Mohandes AAE, El-Khorazaty MN and the NIH-DC Initiative, p. 194.

Using clinical classification trees to identify individuals at risk of STDs during pregnancy, see **STDs**.

Public Opinion
California parents' preferences and beliefs regarding school-based sex education policy, Constantine NA, Jerman P and Huang AX, p. 167.

Women support getting hormonal contraceptives without a prescription, Digest, p. 125.

Reproductive Health
Another racial disparity, FYI, p. 72.

Awareness is not enough, FYI, p. 193.

Overall, postmenopausal use of combined hormones is not associated with increased risk of cervical cancer, Digest, p. 65.

Patterns of men's use of sexual and reproductive health services, see **Males**.

Same-sex activity among women may be a marker for adverse sexual and reproductive health outcomes, see **Sexual Behavior**.

The pleasure deficit: revisiting the "sexuality connection" in reproductive health, Comment, Higgins JA and Hirsch JS, p. 240.

Service Providers
Birth dearth fallout, FYI, p. 72.

Developing Spanish-language family planning materials: lessons learned from extensive field tests, Special Report, Denny-Garamendi C, Lopez-Rabin J, Guendelman S and Schafer S, p. 176.

Does location matter? FYI, p. 133.

Emergency department patients may need contraceptive outreach, Digest, p. 63.

Is the system the problem? FYI, p. 72.

Many pediatricians are reluctant to vaccinate young females against human papillomavirus, Digest, p. 121.

Pregnancy and STD prevention counseling using an adaptation of motivational interviewing: a randomized controlled trial, see **Evaluation of Programs**.

The quality of family planning services in the United States: findings from a literature review, Becker D, Koenig MA, Kim YM, Cardona K and Sonenstein FL, p. 206.

Title X funding does not always mean the most accessible services for family planning clients, Digest, p. 124.

Will your doctor tell you what you need to know? FYI, p. 72.

Sex Education
California parents' preferences and beliefs regarding school-based sex education policy, see **Public Opinion**.

Sex education and sexual socialization: roles for educators and parents, Viewpoint, Shtarkshall RA, Santelli JS and Hirsch JS, p. 116.

Who's for comprehensive sex education? FYI, p. 5.

Sexual Behavior
Dating and nondating relationships among sexually active adolescents are often surprisingly similar, see **Teenagers**.

Delinquent youths' risky behavior presents public health challenge for their communities, see **Teenagers**.

I wanna hold your hand: the progression of social, romantic and sexual events in adolescent relationships, see **Teenagers**.

Partners' reports of sexual activity, but not of risky behavior, generally agree, Digest, p. 186.

Prevalence of STDs is high for black young adults regardless of risk behavior, see **STDs**.

Same-sex activity among women may be a marker for adverse sexual and reproductive health outcomes, Digest, p. 251.

So much in common, FYI, p. 5.

Teenagers report both positive and negative consequences from sex, see **Teenagers**.

The pleasure deficit: revisiting the "sexuality connection" in reproductive health, see **Reproductive Health**.

What's love got to do with it? Sexual behaviors of opposite-sex couples through emerging adulthood, Kaestle CE and Halpern CT, p. 134.

STDs
A fourth of U.S. women aged 14–59 have a human papillomavirus infection, Digest, p. 182.

A way to slow HIV? FYI, p. 192.

Adolescents' discussions about contraception or STDs with partners before first sex, see **Teenagers**.

Behavioral risk factors for HIV imperil millions, FYI, p. 4.

Black and Hispanic men who have sex with men carry a greater HIV burden than their white counterparts, Digest, p. 248.

Clients who dare not speak their name, FYI, p. 132.

Cut to the chaste, FYI, p. 4.

Early HPV prevention, FYI, p. 4.

Gonorrhea is now a superbug, FYI, p. 73.

HIV testing options: the dollars and sense, FYI, p. 133.

In brief, FYI, p. 133.

Is smoking related to AIDS? FYI, p. 73.

Many pediatricians are reluctant to vaccinate young females against human papillomavirus, see **Service Providers**.

Pediatricians now have guidelines on HPV vaccine, FYI, p. 192.

Policy helps prevent HIV, FYI, p. 132.

Poor women are at elevated risk for HPV infection, but few variables predict risk among those in poverty, Digest, p. 249.

Predictors of STDs among Asian and Pacific Islander young adults, Hahm HC, Lee J, Ozonoff A and Amodeo M, p. 231.

Prevalence of STDs is high for black young adults regardless of risk behavior, Digest, p. 123.

Preventing herpes simplex virus type 2 may reduce HIV risk among some men who have sex with men, Digest, p. 60.

Research ageism? FYI, p. 192.

Risky behaviors still fuel HIV epidemic among men who have sex with men, see **Males**.

Shame on me? FYI, p. 132.

Syphilis screening in pregnancy, FYI, p. 5.

The cost of success, FYI, p. 5.

The majority of heterosexually acquired HIV infections occur among women and blacks, Digest, p. 122.

Using clinical classification trees to identify individuals at risk of STDs during pregnancy, Kershaw TS, Lewis J, Westdahl C, Wang YF, Rising SS, Massey Z and Ickovics J, p. 141.

Teenagers
Adolescents' discussions about contraception or STDs with partners before first sex, Ryan S, Franzetta K, Manlove J and Holcombe E, p. 149.

Association between adolescent pregnancy and a family history of teenage births, East PL, Reyes BT and Horn EJ, p. 108.

Dating and nondating relationships among sexually active adolescents are often surprisingly similar, Digest, p. 62.

Delinquent youths' risky behavior presents public health challenge for their communities, Digest, p. 185.

I wanna hold your hand: the progression of social, romantic and sexual events in adolescent relationships, O'Sullivan LF, Cheng MM, Harris KM and Brooks-Gunn J, p. 100.

Positive attitudes toward condom use do not equal safer sex among teenagers, see **Barrier Methods**.

Predictors of STDs among Asian and Pacific Islander young adults, see **STDs.**

Program for fathers helps them talk to young sons about sex and HIV risk, Digest, p. 248.

Seize the moment to screen, FYI, p. 193.

Social ecological predictors of repeat adolescent pregnancy, Raneri LG and Wiemann CM, p. 39.

Stepfather involvement and adolescents' disposition toward having sex, see **Marriage and the Family**.

Teenage parents' educational attainment is affected more by available resources than by parenthood, Digest, p. 184.

Teenagers report both positive and negative consequences from sex, Digest, p. 120.

AUTHOR INDEX

Adams J, see Whittaker PG.

Albright J, see Petersen R.

Amodeo M, see Hahm HC.

Armstrong KA, see Whittaker PG.

Bankole A, see Sedgh G.

Becker D, Koenig MA, Kim YM, Cardona K and Sonenstein FL, The quality of family planning services in the United States: findings from a literature review, p. 206.

Berger M, see Whittaker PG.

Blake SM, Kiely M, Gard CC, El-Mohandes AAE, El-Khorazaty MN and the NIH-DC Initiative, Pregnancy intentions and happiness among pregnant black women at high risk for adverse infant health outcomes, p. 194.

Boden JM, see Fergusson DM.

Brooks-Gunn J, see O'Sullivan LF.

Cardona K, see Becker D.

Chabot C, see Shoveller J.

Cheng MM, see O'Sullivan LF.

Constantine NA, Jerman P and Huang AX, California parents' preferences and beliefs regarding school-based sex education policy, p. 167.

Culwell KR and Feinglass J, The association of health insurance with use of prescription contraceptives, p. 226.

Curtis KM, see Petersen R.

Denny-Garamendi C, Lopez-Rabin J, Guendelman S and Schafer S, Developing Spanish-language family planning materials: lessons learned from extensive field tests, Special Report, p. 176.

Drescher J, see Sedgh G.

East PL, Reyes BT and Horn EJ, Association between adolescent pregnancy and a family history of teenage births, p. 108.

El-Khorazaty MN, see Blake SM.

El-Mohandes AAE, see Blake SM.

Feinglass J, see Culwell KR.

Felice TL, see Whittaker PG.

Fergusson DM, Boden JM and Horwood LJ, Abortion among young women and subsequent life outcomes, p. 6.

Finer LB, see Frost JJ.

Franzetta K, see Ryan S.

Frost JJ, Singh S and Finer LB, Factors associated with contraceptive use and nonuse, United States, 2004, p. 90.

Frost JJ, Singh S and Finer LB, U.S. women's one-year contraceptive use patterns, 2004, p. 48.

Furstenburg FF, Jr., see Guzzo KB.

Gard CC, see Blake SM.

Garrett JM, see Petersen R.

Guendelman S, see Denny-Garamendi C.

Guzzo KB and Furstenburg FF, Jr., Multipartnered fertility among young women with a nonmarital first birth: prevalence and risk factors, p. 29.

Hahm HC, Lee J, Ozonoff A and Amodeo M, Predictors of STDs among Asian and Pacific Islander young adults, p. 231.

Halpern CT, see Kaestle CE.

Harris KM, see O'Sullivan LF.

Henshaw SK, see Sedgh G.

Higgins JA and Hirsch JS, The pleasure deficit: revisiting the "sexuality connection" in reproductive health, Comment, p. 240.

Hirsch JS, see Higgins JA and Shtarkshall RA.

Holcombe E, see Ryan S.

Holtzman M, see Menning C.

Horn EJ, see East PL.

Horwood LJ, see Fergusson DM.

Huang AX, see Constantine NA.

Ickovics J, see Kershaw TS.

Jerman P, see Constantine NA.

Kaestle CE and Halpern CT, What's love got to do with it? sexual behaviors of opposite-sex couples through emerging adulthood, p. 134.

Kalmuss D and Tatum C, Patterns of men's use of sexual and reproductive health services, p. 74.

Kapinus C, see Menning C.

Kershaw TS, Lewis J, Westdahl C, Wang YF, Rising SS, Massey Z and Ickovics J, Using clinical classification trees to identify individuals at risk of STDs during pregnancy, p. 141.

Kiely M, see Blake SM.

Kim YM, see Becker D.

Klerman LV, Multipartnered fertility: can it be reduced? Viewpoint, p. 56.

Koenig MA, see Becker D.

Lee J, see Hahm HC.

Levine M, see Shoveller J.

Lewis J, see Kershaw TS.

Lopez-Rabin J, see Denny-Garamendi C.

Manlove J, see Ryan S.

Massey Z, see Kershaw TS.

Menning C, Holtzman M and Kapinus C, Stepfather involvement and adolescents' disposition toward having sex, p. 82.

NIH-DC Initiative, see Blake SM.

O'Sullivan LF, Cheng MM, Harris KM and Brooks-Gunn J, I wanna hold your hand: the progression of social, romantic and sexual events in adolescent relationships, p. 100.

Ozonoff A, see Hahm HC.

Petersen R, Albright J, Garrett JM and Curtis KM, Pregnancy and STD prevention counseling using an adaptation of motivational interviewing: a randomized controlled trial, p. 21.

Raneri LG and Wiemann CM, Social ecological predictors of repeat adolescent pregnancy, p. 39.

Reyes BT, see East PL.

Rising SS, see Kershaw TS.

Ryan S, Franzetta K, Manlove J and Holcombe E, Adolescents' discussions about contraception or STDs with partners before first sex, p. 149.

Santelli JS, see Shtarkshall RA.

Schafer S, see Denny-Garamendi C.

Sedgh G, Henshaw SK, Singh S, Bankole A and Drescher J, Legal abortion worldwide: incidence and recent trends, p. 216.

Shoveller J, Chabot C, Soon JA and Levine M, Identifying barriers to emergency contraception use among young women from various sociocultural groups in British Columbia, Canada, p. 13.

Shtarkshall RA, Santelli JS and Hirsch JS, Sex education and sexual socialization: roles for educators and parents, Viewpoint, p. 116.

Singh S, see Frost JJ and Sedgh G.

Sonenstein FL, see Becker D.

Soon JA, see Shoveller J.

Tatum C, see Kalmuss D.

Wang YF, see Kershaw TS.

Westdahl C, see Kershaw TS.

Whittaker PG, Berger M, Armstrong KA, Felice TL and Adams J, Characteristics associated with emergency contraception use by family planning patients: a prospective cohort study, p. 158.

Wiemann CM, see Raneri LG.